

Interactive comment on “Application of optical tomography in the study of discolouration in drinking water distribution systems” by P. van Thienen et al.

P. van Thienen et al.

peter.vanthienen@kwrwater.nl

Received and published: 27 June 2011

Figures 5e-j have accidentally disappeared in the production process. They are included below.

Interactive comment on Drink. Water Eng. Sci. Discuss., 4, 39, 2011.

[Full Screen / Esc](#)

[Printer-friendly Version](#)

[Interactive Discussion](#)

[Discussion Paper](#)



Interactive
Comment




Fig. 1. Figure 5e

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Interactive
Comment




Fig. 2. Figure 5f

C10

Full Screen / Esc


Printer-friendly Version

Interactive Discussion

Discussion Paper



Interactive
Comment



Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

Fig. 3. Figure 5g

C11



Interactive
Comment




Fig. 4. Figure 5h

C12

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Interactive
Comment




Fig. 5. Figure 5i

C13

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper



Interactive
Comment




Fig. 6. Figure 5j

Full Screen / Esc

Printer-friendly Version

Interactive Discussion

Discussion Paper

