

# ***Interactive comment on “Online Total Organic Carbon (TOC) monitoring for water and wastewater treatment plants processes and operations optimization” by Céline Assmann et al.***

**Céline Assmann et al.**

celine.assmann@ge.com

Received and published: 25 May 2017

The paper was reviewed and amended to take referee's comments into consideration, to balance the content toward usefulness in the industry:

- main structure was reconsidered and the paragraphs for methods and objectives were separated from paragraphs for results and further investigations
- more details were provided for case "twin oaks" method
- related work citation or references were added in the updated paper to broaden the discussion and position the paper within other works done previously

[Printer-friendly version](#)

[Discussion paper](#)



- added other methodologies advantages and drawbacks, including regulatory framework overview and brief of correlation status and possible studies to be done.
- Include comparison with other methods from other studies, and add explicit references (+ include them in text)
- define OPEX abbreviation (Sumo is not an abbreviation)
- place captions of tables on top

See amended text with highlighted changes in the attachement of this reply.

thanks

Please also note the supplement to this comment:

<http://www.drink-water-eng-sci-discuss.net/dwes-2017-11/dwes-2017-11-AC4-supplement.pdf>

---

Interactive comment on Drink. Water Eng. Sci. Discuss., doi:10.5194/dwes-2017-11, 2017.

Printer-friendly version

Discussion paper

